

**Section 7 of Care of Cathedrals Measure 1990 (as amended)
Public Notice on application to the Fabric Advisory Committee**

PUBLIC NOTICE

TAKE NOTICE that the Chapter of the Cathedral Church of:

*Insert name of
cathedral.*

...Ripon Cathedral

Insert date.

has on this date 27 March 2020.....

**applied to the Fabric Advisory Committee of the said cathedral for
approval of the following proposal:**

*Short description e.g.
repair of vestry, loan
of chalice.*

The Proposal

To carry out a structural investigation into the west end of the south nave aisle wall.

**Summary of the nature of work and its extent (and materials) [or in the
case of an object, a short description of it and details of the proposal]**

This proposal is for a minimal investigation which will answer the immediate question but executed in a manner that will do no harm (and do good, by improving the condition of the fabric) if the Ripon Cathedral Renewed project does not proceed for any reason.

Close examination of the wall shows that, whilst weathered, the sandstone ashlar is very tightly jointed. Thus, the least harmful way to establish the wall core construction will be to remove a sandstone ashlar which needs to be replaced anyway, in accordance with the Cathedral's stonework policy. The method is as follows.

Consents: The Cathedral FAC has given supportive advice on 12/3/20. The CFCE have indicated that a CCM application should be made.

The method for this investigation is proposed as follows

1. Photographic record.
2. Cut out and remove one full masonry element by breaking out destructively (a stone which needs renewal)
3. Stone removed full depth and mortars from adjoining units removed. Mortar samples taken and bagged for analysis.
4. Archaeologist records aperture and internal composition of core.
5. 100 dia diamond drilled core taken from wall, approx 1.5m depth from face (NOT penetrating internal wall face).
6. Core retrieved as complete as possible for recording and analysis.
7. Internal wall construction examined by engineer and recorded. x. Core from wall reinserted into wall and grouted into position.
8. New face stone - Calvert's Whitton Fell as stonework policy. Full depth stone, (dim to be confirmed when cut out).
9. Face pointing to spec in stonework policy.
10. Records to be captured by FAS and Curtins of work undertaken and deposited on completion in HER and archives.

Plans, drawings, specifications or other documents

**Copies of the plans, drawings, specifications and other documents
accompanying this application may be downloaded from the website.**

Insert date on notice. **from this day: 27 March 2020**.....

Insert date 28 days later **and until: 28 April 2020**.....

Representations

If you wish to make representations about the whole or any part of the proposal described in this Notice you should write to:

THE SECRETARY OF THE FABRIC ADVISORY COMMITTEE

Insert full postal address Postal address, including postcode:.....
Cathedral Office, Liberty Courthouse
Minster Road, HG4 1QS
.....
.....
.....
.....

Insert fax number and e-mail address, if applicable. Fax number:.....
E-mail address: juliabarker@riponcathedral.org.uk.....

so that it reaches the secretary not later than:

Insert a date ending 28 days after the date of commencement of the period for representations. 28 April 2020.....